

Guided tours of the Hanasaari power plant

Instructions for Archtours 9.6.2026



Guided tours of the power plant, general information

- The city has ordered guided tours of the power plant from Helsinki Day onwards on 12 June. The tours are carried out by Archtours on behalf of the city. Client: Ary/Kanslia
- The size of the group is max 15 people + 2 guides. Age limit is 12 years, no pets
- Registration for the tours must be made in advance. The invitation states that the tour is not accessible, some spaces may be dim, and the floors are uneven
- The tours are free of charge, at least at first
- The total duration of the tour is 50-60 minutes. Each power plant space is visited briefly, ~5-10 min

Number of tours-

On Helsinki Day 12.6: 10 tours, hourly from 10 am to 8 pm, á 50 min

Sat 13.6 - Wed 17.6: 2 tours / day, á 50-60 min

22.6 – 3.10: 2 tours / week, á 50-60 min

Note. No tours on the Flow weekend 15.8.

About the safety of the rounds

- Each tour has 2 Archtours guides, with some level of first aid training. The guides change during the summer
- Participants will be given protective helmets and high-visibility vests and participants will be given safety instructions at the beginning of the tour
- The guides have flashlights, and the route is guided by illuminating markings
- In the turbine hall, the points to be avoided are marked with slings and plastic cones. The public area in Kattilahalli will be fenced off
- The doors of the process rooms are mainly locked. The guides open and lock the doors and make sure that the group stays together, and the doors used on the tour will be locked at the end of the tour
- The tour has been reviewed with the rescue department on 5 June, and the measures requested by Pela will be carried out by 12 June.
- **Safety considerations**
 - Tours take place during the light season/daytime
 - There is always staff from the organizer's side present
 - The premises are not used for long periods of time
 - The number of users is limited
 - Disabled people do not participate in the tours
 - With the exception of the control room, the facilities of the power plant are higher than normal (+10 m)

Safety instructions for participants at the beginning of the tour:

- Children under 12 years old and pets are not allowed on the tour.
- The consumption of alcohol and smoking on the tour is prohibited.
- You must wear a helmet and a protective vest during the tour. Do not take off either before the round is over.
- Please watch where you walk. Don't run.
- Follow the marked route at the pace of your guide. Do not pass through doors closed to the public and do not enter isolated areas. It is not allowed to walk around the premises without a guide.
- Do not touch objects without the separate permission of the guide. Avoid leaning on railings and walls. Please note that there is carbon dust in the premises, which can stain clothes.
- In case of an emergency, follow the exit instructions given by the guide.

Arriving to the area


- The area is primarily reached on foot, by bicycle or by public transport
- On Helsinki Day there will be traffic control to the contractor parking area, and after this the area becomes a public parking area, which is subject to a fee.
- The other parking area is used by Helen (right in front of the Social Building, P Helen)



Arriving at the area




Starting and ending rounds




Helsinki Day: departure from the social building

- Gathering in the entrance hall of the social building, 1st floor
- Roll call
- Participants will be given protective helmets and high-visibility vests and given the safety instructions for the tour




After Helsinki Day: departure from the gate building

- If the rental of the social building gets off to a comfortable start, the protective equipment and the start of the tour will be moved to the gate building of the power plant area, which also has a toilet
- The master key is also valid for the gate building





Before the tour

- Before the tour, you must open the locks of the D-door, the boiler hall and the downstairs doors of the turbine hall to ensure that the tour goes smoothly
- The doors will be locked after the tour




Overview of the power plant tour



1,2,3) Control room and Turbine Hall

- Entrance through the main door of the office tower
- Access by stairs to the 4th floor
- Moving to the control room with a presentation and history of the area
- Moving to the turbine hall
- A tour of the turbine in the permitted areas, a peek at the stored turbine (free height of the space 14.7 m)
- Transition to the side staircase and down the stairs to the 1st floor

Stairs to the 4th floor
1




Orange arrow: Entrance and Route
Green arrow: Exit routes

4.5) Ground level of the Turbine Hall, and Boiler Hall


- From the stairs, you go to the left to the ground floor of the turbine hall (h=12 m) – stop in front of the door, do not move in the space
- Back to the corridor and boiler hall (h=52 m), where the visiting area is marked off
- Exit through door D to the fenced area of the power plant
- Exit through a locked port
- Note. People do not stay near the facades, as brick crumbs may fall from the brick slabs of the facades

 **Entrance and Route**
 **Exit routes**



The tour ends at the Social Building

- Leave protective equipment in the lower lobby of a social building for the next group
- On Helsinki Day, it is allowed to stay and explore the social building on your own



Appendix: Pela's instructions

Pela/Heidi Partanen 5.6. (For the City)

Hello

During today's round, the following things were found to be corrected:

Since the lighting on the escape route is not working at the moment, it was agreed that the guides will have electric lights, for example. helmet and that the route is marked with illumination so that it can be clearly seen.

Spaces intended for public use are demarcated with flag lines, e.g. Down in the Kattilahalli space.

Unnecessary signs, such as instructions on how to act in an emergency situation and escape routes that have been removed from use, must be removed from the premises in use. Endrit has already sent a message about these.

Hatches marked with slings, etc. must be marked e.g. plastic cones and guide the route to be taken past these points so that the audience can clearly perceive these points.

In the turbine hall, the use of the climbable platform/step next to the machine must still be prevented, for example. plywood barrier – now there was flag line at this point.

Fire doors must be kept closed.

I ask you to provide a receipt for these and, if necessary, photographs, etc. when the detected corrections have been made. I would also like to ask you to provide guidance on safety instructions to be given to the public.

Regards

Heidi Partanen

Fire inspector

Helsinki City Rescue Department

P.O. Box 112, 00099 CITY OF HELSINKI

Tel. 050 405 9355

heidi.partanen@pelastustoimi.fi